

The cards in the intermediate level, Southwestern BC plant set, in order of scientific name:

| Scientific name | Card Num | Common name | Term Introduced | Photography credits |
|--------------------------------|----------|---------------------------|---------------------|---|
| <i>Abies grandis</i> | 18 | grand fir | stomata | Cruzier, Dave Power, Walter Siegmund |
| <i>Acer macrophyllum</i> | 4 | bigleaf maple | samara | Bev Hall, Walter Siegmund |
| <i>Adenocaulon bicolor</i> | 29 | pathfinder | achene | Sean Rangel, Walter Siegmund |
| <i>Allium cernuum</i> | 24 | nodding onion | bulb | Walter Siegmund |
| <i>Alnus rubra</i> | 1 | red alder | ovate | Kem Luther, Walter Siegmund, NWNPD* |
| <i>Arbutus menziesii</i> | 3 | arbutus | evergreen | Bev Hall, NWNPD* |
| <i>Calypto bulbosa</i> | 15 | fairyslipper | corn | Moralea Milne |
| <i>Camassia leichtlinii</i> | 7 | great camas | raceme | Bev Hall |
| <i>Cirsium vulgare</i> | 6 | bull thistle | biennial | Sciadopitys, Bev Hall |
| <i>Claytonia perfoliata</i> | 22 | miner's-lettuce | annual | Moralea Milne, Walter Siegmund |
| <i>Clinopodium douglasii</i> | 50 | yerba buena | aromatic | J. C. Brew, Evan Bean |
| <i>Corallorhiza maculata</i> | 10 | spotted coralroot | chlorophyll | Bev Hall |
| <i>Cytisus scoparius</i> | 5 | broom | invasive | Bev hall, H. Zell |
| <i>Dactylis glomerata</i> | 27 | orchard grass | grass, forb | Javier Martin |
| <i>Daucus carota</i> | 30 | Queen Anne's lace | umbel | Herald Berger, Bev Hall |
| <i>Dodecatheon hendersonii</i> | 39 | broad-leaved shootingstar | hybrids | Bev Hall, Walter Siegmund |
| <i>Erythronium oregonum</i> | 49 | white fawn-lily | stamen | Walter Siegmund, Moralea Milne |
| <i>Evernia prunastri</i> | 2 | antlered perfume | lichen | Kem Luther |
| <i>Gaultheria shallon</i> | 34 | salal | calyx | Daderot, Bev Hall |
| <i>Geranium molle</i> | 13 | dovefoot geranium | taproot | Kenpei, H. Zell |
| <i>Goodyera oblongifolia</i> | 31 | rattlesnake plantain | capsule | Jennifer McNew, Moralea Milne |
| <i>Holodiscus discolor</i> | 26 | oceanspray | host plant | Bev Hall, Doug Murphy, Walter Siegmund |
| <i>Hylocomium splendens</i> | 43 | step moss | moss | Jason Hollinger, James Holloko, Kristian Peters |
| <i>Hypochaeris radicata</i> | 19 | hairy cat's-ear | ray flowers | Eclipse20, Kristian Peters |
| <i>Juncus effusus</i> | 33 | common rush | sedge, rush | Christian Fischer |
| <i>Leymus mollis</i> | 14 | dune wildrye | ligule | Marilee Lovit |
| <i>Linnaea borealis</i> | 46 | twinflower | pollen | Brian Grabwicke |
| <i>Lysichiton americanus</i> | 40 | skunk cabbage | bract | Bev Hall |
| <i>Mahonia nervosa</i> | 28 | dull Oregon-grape | rhizome | Bev Hall |
| <i>Mycelis muralis</i> | 47 | wall lettuce | clasping | Reiner Bielefeld, Wisniowy |
| <i>Oemleria cerasiformis</i> | 21 | Indian-plum | dioecious | NWNPD |
| <i>Plantago lanceolata</i> | 32 | ribwort | vestigial | Forest and Kim Star, Hans Hillewaert |
| <i>Polystichum munitum</i> | 45 | sword fern | fronds, pinnae | Bev Hall, Bureau of Land Management |
| <i>Prunus emarginata</i> | 9 | bitter cherry | deciduous | Walter Siegmund |
| <i>Pseudotsuga menziesii</i> | 12 | Douglas-fir | scales (cone) | Bev Hall |
| <i>Quercus garryana</i> | 17 | Garry oak | catkin | Bev Hall, J. C. Brew, Walter Siegmund |
| <i>Ranunculus occidentalis</i> | 48 | western buttercup | pistil | Walter Siegmund |
| <i>Rosa nutkana</i> | 25 | Nootka rose | compound leaves | Bev Hall |
| <i>Rubus armeniacus</i> | 20 | Himalayan blackberry | introduced | Bev Hall, Dawn Indico, Rasbak van TeunSpaans |
| <i>Rubus spectabilis</i> | 35 | salmonberry | drupe | Apv, Bev Hall, Walter Siegmund |
| <i>Rumex acetosella</i> | 38 | sheep sorrel | entire (leaf edge) | Erlend Bjørtvedt, Rasbak |
| <i>Sanicula crassicaulis</i> | 36 | Pacific sanicle | bur | Walter Siegmund |
| <i>Sarcocornia pacifica</i> | 37 | sea asparagus | perennial | Doug Murphy, Jerry Kirkhart |
| <i>Sedum spathulifolium</i> | 44 | broad-leaved stonecrop | glaucous | Bev Hall |
| <i>Symphoricarpos albus</i> | 41 | common snowberry | opposite, alternate | Walter Siegmund, Frank Vicentz, ArtMechanic |
| <i>Taraxacum officinale</i> | 11 | common dandelion | leaf margin | Arnodius, Bev Hall |
| <i>Tellima grandiflora</i> | 16 | fringecup | cordate | Bev Hall, Walter Siegmund |
| <i>Thuja plicata</i> | 8 | western redcedar | conifer | Bev Hall |
| <i>Trientalis latifolia</i> | 42 | broad-leaved starflower | tuber | Walter Siegmund |
| <i>Urtica dioica</i> | 23 | stinging nettle | axil | Franz Xaver, Frank Vincentz, Jerome Prohaska |

* Northwest Native Plant Database

Cards in the intermediate level, Southwestern BC plant set, in order of most used common name (card number order):

| Scientific name | Card | Common name | Term Introduced | Photography credits |
|--------------------------------|------|--|---------------------|--|
| <i>Alnus rubra</i> | 1 | alder (red alder) | ovate | Kem Luther, Walter Siegmund, NWNPD* |
| <i>Evernia prunastri</i> | 2 | antlered perfume | lichen | Kem Luther |
| <i>Arbutus menziesii</i> | 3 | arbutus | evergreen | Bev Hall, NWNPD* |
| <i>Acer macrophyllum</i> | 4 | bigleaf maple | samara | Bev Hall, Walter Siegmund |
| <i>Cytisus scoparius</i> | 5 | broom | invasive | Bev hall, H. Zell |
| <i>Cirsium vulgare</i> | 6 | bull thistle | biennial | Sciadopitys, Bev Hall |
| <i>Camassia leichtlinii</i> | 7 | camas (great camas) | raceme | Bev Hall |
| <i>Thuja plicata</i> | 8 | cedar (western redcedar) | conifer | Bev Hall |
| <i>Prunus emarginata</i> | 9 | cherry (bitter cherry) | deciduous | Walter Siegmund |
| <i>Corallorhiza maculata</i> | 10 | coralroot (spotted coralroot) | chlorophyll | Bev Hall |
| <i>Taraxacum officinale</i> | 11 | dandelion (common dandelion) | leaf margin | Arnodius, Bev Hall |
| <i>Pseudotsuga menziesii</i> | 12 | Douglas-fir | scales (cone) | Bev Hall |
| <i>Geranium molle</i> | 13 | dovefoot geranium | taproot | Kenpei, H. Zell |
| <i>Leymus mollis</i> | 14 | dune wildrye | ligule | Marilee Lovit |
| <i>Calypso bulbosa</i> | 15 | fairyslipper | corm | Moralea Milne |
| <i>Tellima grandiflora</i> | 16 | fringe-cup | cordate | Bev Hall, Walter Siegmund |
| <i>Quercus garryana</i> | 17 | Garry oak | catkin | Bev Hall, J. C. Brew, Walter Siegmund |
| <i>Abies grandis</i> | 18 | grand fir | stomata | Cruzier, Dave Power, Walter Siegmund |
| <i>Hypochaeris radicata</i> | 19 | hairy cat's-ear | ray flowers | Eclipse20, Kristian Peters |
| <i>Rubus armeniacus</i> | 20 | Himalayan blackberry | introduced | Bev Hall, Dawn Indico, Rasbak van TeunSpaans |
| <i>Oemleria cerasiformis</i> | 21 | Indian-plum | dioecious | NWNPD |
| <i>Claytonia perfoliata</i> | 22 | miner's-lettuce | annual | Moralea Milne, Walter Siegmund |
| <i>Urtica dioica</i> | 23 | nettle (stinging nettle) | axil | Franz Xaver, Frank Vincentz, Jerome Prohaska |
| <i>Allium cernuum</i> | 24 | nodding onion | bulb | Walter Siegmund |
| <i>Rosa nutkana</i> | 25 | Nootka rose | compound leaves | Bev Hall |
| <i>Holodiscus discolor</i> | 26 | oceanspray | host plant | Bev Hall, Doug Murphy, Walter Siegmund |
| <i>Dactylis glomerata</i> | 27 | orchard grass | grass, forb | Javier Martin |
| <i>Mahonia nervosa</i> | 28 | Oregon grape (dull Oregon-grape) | rhizome | Bev Hall |
| <i>Adenocaulon bicolor</i> | 29 | pathfinder | achene | Sean Rangel, Walter Siegmund |
| <i>Daucus carota</i> | 30 | Queen Anne's lace | umbel | Herald Berger, Bev Hall |
| <i>Goodyera oblongifolia</i> | 31 | rattlesnake plantain | capsule | Jennifer McNew, Moralea Milne |
| <i>Plantago lanceolata</i> | 32 | ribwort | vestigial | Forest and Kim Star, Hans Hillewaert |
| <i>Juncus effusus</i> | 33 | rush (common rush) | sedge, rush | Christian Fischer |
| <i>Gaultheria shallon</i> | 34 | salal | calyx | Daderot, Bev Hall |
| <i>Rubus spectabilis</i> | 35 | salmonberry | drupe | Apv, Bev Hall, Walter Siegmund |
| <i>Sanicula crassicaulis</i> | 36 | Pacific sanicle | bur | Walter Siegmund |
| <i>Sarcocornia pacifica</i> | 37 | sea asparagus | perennial | Doug Murphy, Jerry Kirkhart |
| <i>Rumex acetosella</i> | 38 | sheep sorrel | entire (leaf edge) | Erlend Bjørtvedt, Rasbak |
| <i>Dodecatheon hendersonii</i> | 39 | shootingstar (broad-leaved shootingstar) | hybrids | Bev Hall, Walter Siegmund |
| <i>Lysichiton americanus</i> | 40 | skunk cabbage | bract | Bev Hall |
| <i>Symphoricarpos albus</i> | 41 | snowberry (common snowberry) | opposite, alternate | Walter Siegmund, Frank Vicentz, ArtMechanic |
| <i>Trientalis latifolia</i> | 42 | broad-leaved starflower | tuber | Walter Siegmund |
| <i>Hylocomium splendens</i> | 43 | step moss | moss | Jason Hollinger, James Hollko, Kristian Peters |
| <i>Sedum spathulifolium</i> | 44 | stonecrop (broad-leaved stonecrop) | glaucous | Bev Hall |
| <i>Polystichum munitum</i> | 45 | sword fern | fronds, pinnae | Bev Hall, Bureau of Land Management |
| <i>Linnaea borealis</i> | 46 | twinflower | pollen | Brian Grabwicke |
| <i>Mycelis muralis</i> | 47 | wall lettuce | clasping | Reiner Bielefeld, Wisniowy |
| <i>Ranunculus occidentalis</i> | 48 | western buttercup | pistil | Walter Siegmund |
| <i>Erythronium oregonum</i> | 49 | white fawn-lily | stamen | Walter Siegmund, Moralea Milne |
| <i>Clinopodium douglasii</i> | 50 | yerba buena | aromatic | J. C. Brew, Evan Bean |

Cards in the intermediate level, Southwestern BC plant set, grouped by organism type:

| Scientific name | Card | Common name | Term Introduced | Photography credits |
|--------------------------------|------|--|---------------------|---|
| Tree | | | | |
| <i>Alnus rubra</i> | 1 | alder (red alder) | ovate | Kem Luther, Walter Siegmund, NWNPD* |
| <i>Arbutus menziesii</i> | 3 | arbutus | evergreen | Bev Hall, NWNPD* |
| <i>Acer macrophyllum</i> | 4 | bigleaf maple | samara | Bev Hall, Walter Siegmund |
| <i>Thuja plicata</i> | 8 | cedar (western redcedar) | conifer | Bev Hall |
| <i>Prunus emarginata</i> | 9 | cherry (bitter cherry) | deciduous | Walter Siegmund |
| <i>Pseudotsuga menziesii</i> | 12 | Douglas-fir | scales (cone) | Bev Hall |
| <i>Quercus garryana</i> | 17 | Garry oak | catkin | Bev Hall, J. C. Brew, Walter Siegmund |
| <i>Abies grandis</i> | 18 | grand fir | stomata | Cruzier, Dave Power, Walter Siegmund |
| Shrub | | | | |
| <i>Cytisus scoparius</i> | 5 | broom | invasive | Bev hall, H. Zell |
| <i>Rubus armeniacus</i> | 20 | Himalayan blackberry | introduced | Bev Hall, Dawn Indico, Rasbak van TeunSpaans |
| <i>Rosa nutkana</i> | 25 | Nootka rose | compound leaves | Bev Hall |
| <i>Holodiscus discolor</i> | 26 | oceanspray | host plant | Bev Hall, Doug Murphy, Walter Siegmund |
| <i>Mahonia nervosa</i> | 28 | Oregon grape (dull Oregon-grape) | rhizome | Bev Hall |
| <i>Gaultheria shallon</i> | 34 | salal | calyx | Daderot, Bev Hall |
| <i>Rubus spectabilis</i> | 35 | salmonberry | drupe | Apv, Bev Hall, Walter Siegmund |
| <i>Symphoricarpos albus</i> | 41 | snowberry (common snowberry) | opposite, alternate | Walter Siegmund, Frank Vicentz, ArtMechanic |
| Forb | | | | |
| <i>Cirsium vulgare</i> | 6 | bull thistle | biennial | Sciadopitys, Bev Hall |
| <i>Camassia leichtlinii</i> | 7 | camas (great camas) | raceme | Bev Hall |
| <i>Corallorhiza maculata</i> | 10 | coralroot (spotted coralroot) | chlorophyll | Bev Hall |
| <i>Taraxacum officinale</i> | 11 | dandelion (common dandelion) | leaf margin | Arnodius, Bev Hall |
| <i>Geranium molle</i> | 13 | dovefoot geranium | taproot | Kenpei, H. Zell |
| <i>Calypso bulbosa</i> | 15 | fairyslipper | corm | Moralea Milne |
| <i>Tellima grandiflora</i> | 16 | fringe cup | cordate | Bev Hall, Walter Siegmund |
| <i>Hypochaeris radicata</i> | 19 | hairy cat's-ear | ray flowers | Eclipse20, Kristian Peters |
| <i>Oemleria cerasiformis</i> | 21 | Indian-plum | dioecious | NWNPD |
| <i>Claytonia perfoliata</i> | 22 | miner's-lettuce | annual | Moralea Milne, Walter Siegmund |
| <i>Urtica dioica</i> | 23 | nettle (stinging nettle) | axil | Franz Xaver, Frank Vincentz, Jerome |
| <i>ProhaskaAllium cernuum</i> | 24 | nodding onion | bulb | Walter Siegmund |
| <i>Adenocaulon bicolor</i> | 29 | pathfinder | achene | Sean Rangel, Walter Siegmund |
| <i>Daucus carota</i> | 30 | Queen Anne's lace | umbel | Herald Berger, Bev Hall |
| <i>Goodyera oblongifolia</i> | 31 | rattlesnake plantain | capsule | Jennifer McNew, Moralea Milne |
| <i>Plantago lanceolata</i> | 32 | ribwort | vestigial | Forest and Kim Star, Hans Hillewaert |
| <i>Sanicula crassicaulis</i> | 36 | Pacific sanicle | bur | Walter Siegmund |
| <i>Sarcocornia pacifica</i> | 37 | sea asparagus | perennial | Doug Murphy, Jerry Kirkhart |
| <i>Rumex acetosella</i> | 38 | sheep sorrel | entire (leaf edge) | Erlend Bjørtvedt, Rasbak |
| <i>Dodecatheon hendersonii</i> | 39 | shootingstar (broad-leaved shootingstar) | hybrids | Bev Hall, Walter Siegmund |
| <i>Lysichiton americanus</i> | 40 | skunk cabbage | bract | Bev Hall |
| <i>Trientalis latifolia</i> | 42 | broad-leaved starflower | tuber | Walter Siegmund |
| <i>Sedum spathulifolium</i> | 44 | stonecrop (broad-leaved stonecrop) | glaucous | Bev Hall |
| <i>Linnaea borealis</i> | 46 | twinflower | pollen | Brian Grabwicke |
| <i>Mycelis muralis</i> | 47 | wall lettuce | clasping | Reiner Bielefeld, Wisniowy |
| <i>Ranunculus occidentalis</i> | 48 | western buttercup | pistil | Walter Siegmund |
| <i>Erythronium oregonum</i> | 49 | white fawn-lily | stamen | Walter Siegmund, Moralea Milne |
| <i>Clinopodium douglasii</i> | 50 | yerba buena | aromatic | J. C. Brew, Evan Bean |
| Grass | | | | |
| <i>Leymus mollis</i> | 14 | dune wildrye | ligule | Marilee Lovit |
| <i>Dactylis glomerata</i> | 27 | orchard grass | grass, forb | Javier Martin |
| Other | | | | |
| <i>Evernia prunastri</i> | 2 | Lichen: antlered perfume | lichen | Kem Luther |
| <i>Juncus effusus</i> | 33 | Rush: rush (common rush) | sedge, rush | Christian Fischer |
| <i>Hylocomium splendens</i> | 43 | Moss: step moss | moss | Jason Hollinger, James Holko, Kristian Peters |
| <i>Polystichum munitum</i> | 45 | Fern: sword fern | fronds, pinnae | Bev Hall, Bureau of Land Management |

Cards in the intermediate level, Southwestern BC plant set, grouped by introduced and defined term::

| Scientific name | Card | Common name | Term Introduced | Photography credits |
|--------------------------------|------|--|----------------------|--|
| <i>Adenocaulon bicolor</i> | 29 | pathfinder | achene | Sean Rangel, Walter Siegmund |
| <i>Symphoricarpos albus</i> | 41 | snowberry (common snowberry) | alternate, opposite | Walter Siegmund, Frank Vicentz, ArtMechanic |
| <i>Claytonia perfoliata</i> | 22 | miner's-lettuce | annual | Moralea Milne, Walter Siegmund |
| <i>Clinopodium douglasii</i> | 50 | yerba buena | aromatic | J. C. Brew, Evan Bean |
| <i>Urtica dioica</i> | 23 | nettle (stinging nettle) | axil | Franz Xaver, Frank Vincentz, Jerome Prohaska |
| <i>Cirsium vulgare</i> | 6 | bull thistle | biennial | Sciadopitys, Bev Hall |
| <i>Lysichiton americanus</i> | 40 | skunk cabbage | bract | Bev Hall |
| <i>Allium cernuum</i> | 24 | nodding onion | bulb | Walter Siegmund |
| <i>Sanicula crassicaulis</i> | 36 | Pacific sanicle | bur | Walter Siegmund |
| <i>Gaultheria shallon</i> | 34 | salal | calyx | Daderot, Bev Hall |
| <i>Goodyera oblongifolia</i> | 31 | rattlesnake plantain | capsule | Jennifer McNew, Moralea Milne |
| <i>Quercus garryana</i> | 17 | Garry oak | catkin | Bev Hall, J. C. Brew, Walter Siegmund |
| <i>Corallorhiza maculata</i> | 10 | coralroot (spotted coralroot) | chlorophyll | Bev Hall |
| <i>Mycelis muralis</i> | 47 | wall lettuce | clasping | Reiner Bielefeld, Wisniowy |
| <i>Rosa nutkana</i> | 25 | Nootka rose | compound leaves | Bev Hall |
| <i>Thuja plicata</i> | 8 | cedar (western redcedar) | conifer | Bev Hall |
| <i>Tellima grandiflora</i> | 16 | fringecup | cordate | Bev Hall, Walter Siegmund |
| <i>Calypso bulbosa</i> | 15 | fairyslipper | corm | Moralea Milne |
| <i>Prunus emarginata</i> | 9 | cherry (bitter cherry) | deciduous | Walter Siegmund |
| <i>Oemleria cerasiformis</i> | 21 | Indian-plum | dioecious | NWNPD |
| <i>Rubus spectabilis</i> | 35 | salmonberry | drupe | Apv, Bev Hall, Walter Siegmund |
| <i>Rumex acetosella</i> | 38 | sheep sorrel | entire (leaf edge) | Erlend Bjørtvedt, Rasbak |
| <i>Arbutus menziesii</i> | 3 | arbutus | evergreen | Bev Hall, NWNPD* |
| <i>Dactylis glomerata</i> | 27 | orchard grass | forb, grass | Javier Martin |
| <i>Polystichum munitum</i> | 45 | sword fern | fronds, pinnae | Bev Hall, Bureau of Land Management |
| <i>Sedum spathulifolium</i> | 44 | stonecrop (broad-leaved stonecrop) | glaucous | Bev Hall |
| <i>Dactylis glomerata</i> | 27 | orchard grass | grass, forb | Javier Martin |
| <i>Holodiscus discolor</i> | 26 | oceanspray | host plant | Bev Hall, Doug Murphy, Walter Siegmund |
| <i>Dodecatheon hendersonii</i> | 39 | shootingstar (broad-leaved shootingstar) | hybrids | Bev Hall, Walter Siegmund |
| <i>Rubus armeniacus</i> | 20 | Himalayan blackberry | introduced | Bev Hall, Dawn Indico, Rasbak van TeunSpaans |
| <i>Cytisus scoparius</i> | 5 | broom | invasive | Bev hall, H. Zell |
| <i>Evernia prunastri</i> | 2 | antlered perfume | lichen | Kem Luther |
| <i>Leymus mollis</i> | 14 | dune wildrye | ligule | Marilee Lovit |
| <i>Taraxacum officinale</i> | 11 | dandelion (common dandelion) | margin (leaf margin) | Arnodius, Bev Hall |
| <i>Hylocomium splendens</i> | 43 | step moss | moss | Jason Hollinger, James Hollko, Kristian Peters |
| <i>Symphoricarpos albus</i> | 41 | snowberry (common snowberry) | opposite, alternate | Walter Siegmund, Frank Vicentz, ArtMechanic |
| <i>Alnus rubra</i> | 1 | alder (red alder) | ovate | Kem Luther, Walter Siegmund, NWNPD* |
| <i>Sarcocornia pacifica</i> | 37 | sea asparagus | perennial | Doug Murphy, Jerry Kirkhart |
| <i>Polystichum munitum</i> | 45 | sword fern | pinnae, fronds | Bev Hall, Bureau of Land Management |
| <i>Ranunculus occidentalis</i> | 48 | western buttercup | pistil | Walter Siegmund |
| <i>Linnaea borealis</i> | 46 | twinflower | pollen | Brian Grabwicke |
| <i>Camassia leichtlinii</i> | 7 | camas (great camas) | raceme | Bev Hall |
| <i>Hypochaeris radicata</i> | 19 | hairy cat's-ear | ray flowers | Eclipse20, Kristian Peters |
| <i>Mahonia nervosa</i> | 28 | Oregon grape (dull Oregon-grape) | rhizome | Bev Hall |
| <i>Juncus effusus</i> | 33 | rush (common rush) | rush, sedge | Christian Fischer |
| <i>Acer macrophyllum</i> | 4 | bigleaf maple | samara | Bev Hall, Walter Siegmund |
| <i>Pseudotsuga menziesii</i> | 12 | Douglas-fir | scales (cone) | Bev Hall |
| <i>Juncus effusus</i> | 33 | rush (common rush) | sedge, rush | Christian Fischer |
| <i>Erythronium oregonum</i> | 49 | white fawn-lily | stamen | Walter Siegmund, Moralea Milne |
| <i>Abies grandis</i> | 18 | grand fir | stomata | Cruzier, Dave Power, Walter Siegmund |
| <i>Geranium molle</i> | 13 | dovefoot geranium | taproot | Kenpei, H. Zell |
| <i>Trientalis latifolia</i> | 42 | broad-leaved starflower | tuber | Walter Siegmund |
| <i>Daucus carota</i> | 30 | Queen Anne's lace | umbel | Herald Berger, Bev Hall |
| <i>Plantago lanceolata</i> | 32 | ribwort | vestigial | Forest and Kim Star, Hans Hillewaert |